



# A Comprehensive Look At Digital Twins: Ongoing Applications, Current Obstacles And Future Potential

<sup>1</sup>Akbar Ali, <sup>2</sup>Tanmeet Singh Chhabra, <sup>3</sup>Er. Nisha Rathore

<sup>1</sup>Student, BCA 3<sup>rd</sup> Sem, Amity University Chhattisgarh, India

<sup>2</sup>Student, BCA 3<sup>rd</sup> Sem, Amity University Chhattisgarh, India

<sup>3</sup>Assistant Professor, Amity University Chhattisgarh, India

**Abstract:** Consider a world in which every physical thing has a virtual doppelganger that learns and evolves alongside its real-world counterpart. This is the power of digital twins: dynamic digital models that mimic physical items, processes, or even entire systems. Sensors placed in the physical object send real-time data to the digital twin, resulting in a continuously updated virtual reflection. This data enables analysis, simulations, and forecasts, revealing a variety of benefits. There are various varieties of digital twins based on the level of product magnification. The core distinction between these twins is their field of application. It is typical to have multiple sorts of digital twins coexisting within a system or process. This study delves deeply into DTs, including their definition, benefits, and drawbacks. It also addresses the existing uses of DTs in many industries such as power-generation equipment, structures and their systems, healthcare services, manufacturing operations, automobile industry, urban planning, and so on, as well as their future potential. The current issues with digital twins include data management, data security, legacy system transition, the issues of connectivity, privacy, and sensitive data protection, as well as the lack of a universal modelling technique.

**Keywords-** Digital Twin, Virtual Twin, Cyber Twin, Digital Shadow, Digital Thread

## I. INTRODUCTION

A virtual replica of a physical thing or process that may be used to monitor, analyse, and optimize its performance is known as a digital twin. Data from sensors, cameras, and other sources is used to generate a virtual model of a physical object or process. The virtual model can then be used to recreate the behaviour of the actual product or process, which can aid in the identification of possible issues, increased efficiency, and cost reduction. Digital twins are a critical enabler of Industry 4.0 and have the potential to transform several industries, including manufacturing, healthcare, and transportation. Digital twins operate by continuously gathering data from the physical object or process and then updating the virtual representation. This enables the digital twin to reflect the actual object's or process's current status.

Data for creating and updating digital twins can come from a variety of sources, including:

- **Sensors:** Sensors are devices that collect data about their surroundings, such as temperature, humidity, and pressure.
- **Cameras** can be used to acquire information about a physical object or process, such as its shape, size, and colour.
- Other data sources can include historical data, documentation, and expert knowledge.

The information gathered from these sources is then utilized to build and maintain a virtual model of the real object or process. The virtual model is a computer-generated version of the physical item or process that may be used to imitate the physical object's or process's behaviour. The simulation of a physical product or process can be used to identify possible issues, increase efficiency, and save costs. A digital twin of a manufacturing machine, for example, can be used to simulate machine operation and detect potential issues before they arise. This can reduce downtime and improve overall manufacturing efficiency.

There are many benefits to using digital twins, including:

- **Improved decision-making:** Before reaching a decision, digital twins can be utilized to simulate various scenarios and test various options. This can help to improve decision-making quality and lower the likelihood of making mistakes.
- **Enhanced efficiency:** Digital twins can be utilized to discover and reduce process inefficiencies. This can help to increase the process's overall efficiency.
- **Cost savings:** Digital twins can be used to detect and avoid problems before they happen. This can help to cut downtime, maintenance, and repair expenses.
- **Increased safety:** Digital twins can be used to replicate dangerous scenarios and instruct employees on how to manage them properly. This can help to increase safety and lessen the likelihood of an accident occurring.

Digital twins are already being used in a variety of industries, including:

- **Manufacturing:** By monitoring and streamlining production procedures, digital twins lower downtime and enhance product quality.
- **Healthcare:** By using digital twins, novel medicines can be developed, diagnostic accuracy may be increased, and personalized patient models can be created.
- **Transportation:** The employment of digital twins helps to enhance safety, lessen traffic jams, and optimize traffic flow.
- **Construction:** By using digital twins, construction projects can be more efficiently planned and managed, and expenses can be decreased.
- **Energy:** By optimizing energy use, digital twins help cut expenses and increase sustainability.




Figure 1: Digital Twin Syncing With Physical Object

## II. HISTORICAL DEVELOPMENT

The idea of producing a virtual version of a physical object or system was initially investigated in the early 1960s, which is when the concept of a digital twin originally emerged. But it wasn't until the early 2000s that University of Michigan professor Michael Grieves used the term "digital twin" to describe this phenomenon.

### 1960s: Initial Ideas and Advancements:

In the realm of computer-aided design (CAD), the concept of producing digital replicas of tangible objects first surfaced in the early 1960s. CAD software was created to enable engineers to digitally design goods prior to their physical construction. The foundation for the creation of increasingly complex digital twins in the ensuing decades was set by this early effort.

### Mirror Worlds by David Gelernter, 1991 [24]:

In 1991, David Gelernter, an American computer scientist and author, released his book "Mirror Worlds." Gelernter coined the term "digital twin" to characterize these virtual representations, and the book addressed the idea of building virtual worlds that mimic the real world.

### Michael Grieves Presents the Idea of the Digital Twin in 2002:

In 2002, University of Michigan professor Michael Grieves first presented the idea of the digital twin. "A virtual representation of a physical product that enables the product's performance to be monitored and predicted in real time" is how Grieves characterized a digital twin. He made the case that using digital twins may enhance product design, production, and upkeep.

### 2010 saw the term "digital twin" adopted by NASA:

NASA first used the phrase "digital twin" in 2010 to refer to the virtual models it uses for spacecraft monitoring and maintenance. The phrase was coined by NASA, which contributed to the concept of digital twins becoming more widely known.

### Growing Adoption of Digital Twin Technology in the 2010s and Early 2020s:

Since data storage has become more affordable and computers and sensors have become more capable, the application of digital twin technologies has expanded quickly. Many industries, including manufacturing, healthcare, aerospace, and energy, are now using digital twins.

Beyond 2023:

Ongoing Development in Digital Twin Technology, As long as academics can keep coming up with creative new applications for digital twin technology, efficiency, safety, and decision-making will all be enhanced. Digital twins are expected to play an even bigger part in our lives in the future as artificial intelligence and machine learning continue to advance.



Figure 2: Timeline Of Digital Twin Concept

### III. PAST RESEARCH WORK

The article entitled “Digital Twin: Origin to Future”, by Maulshree Singh et al. [1], provides a comprehensive overview of the concept of digital twins, from their origins to their future potential. Digital twins, according to the authors, are "virtual representations of physical entities that are synchronized in real time." They talk about the many qualities of digital twins, the benefits they can provide, and their future prospects. Many industries, including manufacturing, aerospace, healthcare, and energy, have the potential to be transformed by digital twins. They can assist users in making better decisions, increasing efficiency, improving product quality, and lowering costs. Digital twins are likely to play a greater role in predictive maintenance, product design and development, and supply chain management in the future. Overall, the research paper provides an excellent overview of this developing technology and its potential to revolutionize a wide range of industries.

The article entitled “Technologies, Challenges, and Open Research Enabling Digital Twins” by Aidan Fuller et al. [2], explores the concept of digital twins and their applications in various fields. The authors provide a clear definition of digital twins and address common misconceptions about digital models, digital shadows, and true digital twins. They discuss the applications of digital twins in smart cities, manufacturing, and healthcare, highlighting the growing importance of IoT and AI in these areas. It also addresses challenges related to data analytics, IT infrastructure, data protection and security, and IoT connectivity. This article highlights the need for better regulation and trust-building in the context of AI and IoT. Additionally, the authors mention key industry players and open-source projects that are contributing to the development of Digital Twin technology.

In their study "A Survey on Digital Twin: Definitions, Characteristics, Applications, and Design Implications" Barbara Rita Barricelli et al. [3], define digital twins as "living, intelligent, and evolving models being the virtual counterpart of a physical entity or process." They explore digital twins' important properties, such as their ability to continually monitor and replicate physical systems, as well as their potential to improve decision-making, optimize processes, and cut costs. The writers also look at how digital twins are used in a variety of industries, including manufacturing, aerospace, healthcare, and energy. They emphasize digital twins' potential to alter various industries by enabling predictive maintenance, optimizing product design and development, and boosting supply chain management. Finally, the authors explore the design implications of digital twins, emphasizing the necessity of taking socio-technical aspects of their implementation into account and ensuring that they are matched with the goals of the organization. They also emphasize the significance of tackling data security and privacy issues, as well as ensuring that digital twins are accessible and cheap to all. All round, the study paper gives an in-depth look at the digital twin concept, including its characteristics, uses, and design implications. It is an excellent resource for anyone interested in learning more about this developing technology and its potential to impact a wide range of industries.

The article entitled "Challenges and Applications of Digital Twin Technology: A Comprehensive Review" by Diego M. Botón-Sanabria et al. [4], provides a comprehensive overview of digital twin (DT) technology and its applications. A digital twin is a virtual representation of a physical object or process that collects real-time data to simulate and predict the corresponding physical behaviour. This article discusses the challenges, limitations, and trends in implementing his DT-based systems in various fields such as smart cities, urban areas, logistics, healthcare, engineering, and automotive. The authors use a systematic literature review approach and present a maturity spectrum for evaluating DTs, digital twin types, and integration levels. It also shows the increasing adoption of his DT in various countries, especially Europe and China, for applications ranging from urban planning to real-time asset management and monitoring. This study focuses on the evolving landscape of DT technology and its diverse applications in multiple fields.

The article titled "Fusing Sensor Data and Information to Build a Digital Twin Virtual Machine Tool for Cyber-Physical Manufacturing" by Yi Cai et al. [5], the paper discusses on how to create digital data that describes the integration of sensor data and manufacturing information - virtual machine tools for cyber-physical manufacturing. These virtual machine tools are designed to effectively simulate physical machine tools and provide valuable insight for diagnosis and prognosis when physical machine problems occur. The aim is to improve real-time monitoring, provide comprehensive data for offline analysis, and ultimately improve the performance and utilization of physical CNC machines. The authors provide a detailed example of developing a virtual 3-axis vertical milling machine with a digital twin using sensory data to demonstrate the concept and methodology. In summary, the authors present a methodology to develop digital twins of virtual machine tools by integrating sensor data and manufacturing information, with the aim of improving the accuracy and functionality of virtual tools for cyber-physical manufacturing applications.

In their study "Digital Twin Data Modelling with AutomationML and a Communication Methodology for Data Exchange" Greyce N. Schroeder et al. [18], offers a technique for modelling digital twins with AutomationML, a standard data format for industrial automation. They also suggest a data interchange approach for the digital twin and the physical system it represents. AutomationML, according to the authors, is well-suited for digital twin data modelling because it is a complete and versatile data format that can represent a wide range of information on physical systems, such as their structure, function, and behaviour. They also claim that their communication mechanism is efficient and dependable, as well as capable of supporting real-time data transmission between the digital twin and the physical system. The authors test their proposed methodology in a case study in which they create a digital twin of an industrial component. The case study results demonstrate that their methodology is effective at modelling the component and facilitating real-time data interchange between the digital twin and the physical component. By presenting a technique for modelling digital twins using AutomationML and a communication approach for data interchange, the research article makes an important contribution to the field of digital twin technology.

The article entitled "Digital Twin in Manufacturing: A Categorical Literature Review and Classification" by Werner Kritzinger et al. [19], provides a comprehensive overview of the digital twin concept in manufacturing, including definitions, characteristics, applications, and challenges. A digital twin, according to the authors, is "a virtual representation of a physical product or system that is used to understand, predict, and control its behaviour." They explore digital twins' important properties, such as their ability to continually monitor and replicate physical systems, as well as their potential to improve decision-making, optimise processes, and cut costs. The authors then propose a level of integration classification for digital twins in manufacturing. They distinguish three integration levels: digital model, digital shadow, and digital twin. A digital model is a virtual depiction of a physical system that is not in real time synchronised with the physical system. A digital shadow is a virtual representation of a physical system that is synced with the physical system in real time but cannot predict its behaviour. A digital twin is a virtual duplicate of a physical system that is synced with it in real time and can predict its behaviour. The authors then explore the problems of integrating digital twins in manufacturing, such as the requirement for high-quality data, powerful computing resources, and changing the way products are developed, made, and operated. Despite these obstacles, the authors feel that digital twins have the potential to transform the manufacturing business.

Fei Tao and Meng Zhang introduce the notion of a digital twin shop-floor (DTS) in their research paper "Digital Twin Shop-Floor: A New Shop-Floor Paradigm Towards Smart Manufacturing" [20], which is a virtual version of a physical shop-floor that is synchronised in real time. According to the authors, DTS has

the potential to transform the manufacturing business by providing new capabilities like as smart interconnection, smart interaction, smart control, and smart management. The authors go over DTS's four main components: the physical shop-floor, the virtual shop-floor, the shop-floor service system, and the shop-floor digital twin data. The physical shop-floor is the real-world shop-floor that the DTS represents. The virtual shop-floor is a digital representation of the physical shop-floor generated by sensors and other devices. The shop-floor service system is a software system that provides data management, simulation, and optimisation to the DTS. The data utilised to generate and maintain the DTS is the shop-floor digital twin data. The authors also cover the DTS operation mechanism and the methods for implementing the four major components. They also list a number of crucial technologies, such as big data processing, artificial intelligence, and cloud computing, that are required for the development and deployment of DTS. In the end, the authors explore the challenges of applying DTS and make some recommendations for further research. They believe that DTS has the ability to revolutionize the manufacturing industry by making it more intelligent and efficient.

In the research paper "Exploring the role of Digital Twin for Asset Lifecycle Management" by Marco Macchi et al. [21], the authors discuss using Digital Twins for asset lifecycle management. Digital twins (DTs) are real-time synchronized virtual replicas of physical assets. They can help enhance asset lifecycle management (ALM) by giving information about an asset's condition, performance, and remaining usable life. DTs can also be used to simulate multiple scenarios and assess their influence on the asset, allowing for improved asset maintenance and replacement decisions. Although the use of digital twins for ALM is still in its infancy, several encouraging pilots and demonstrations are being carried out. One instance is the optimisation of wind turbine maintenance through the use of digital twins. By simulating wind turbine performance under various conditions with digital twins, maintenance engineers may find parts that are prone to failure and plan maintenance in advance. This can help wind turbines last longer and experience fewer unscheduled outages. Using digital twins to design and run more energy-efficient buildings is another example of how ALM uses them. Digital twins are a useful tool for architects and engineers to uncover methods to minimise energy consumption and increase indoor comfort by simulating a building's performance under various scenarios. Via real-time HVAC and other system monitoring and control, digital twins can also be utilised to optimise building operations. DTs have the ability to completely transform ALM by revealing information on the performance, condition, and remaining life of the asset. By using this data, one may increase the effectiveness of preventative maintenance, enhance asset performance, and increase the asset's useful life.

A novel method for employing a digital twin to estimate the structural life of aeroplanes is presented in the research article "Reengineering Aircraft Structural Life Prediction Using a Digital Twin" by Eric J. Tuegel et al. [22], a virtual, real-time synchronized replica of a physical system or object is called a digital twin. A digital twin of an aircraft could be used to monitor the accumulation of structural damage over time and to simulate how the aircraft would behave to various flight conditions. Because it is based on oversimplified models of the aircraft's structure and ignores the intricate connections between various elements of the aircraft, the authors contend that the existing method for predicting aircraft structural life is insufficient. The innovative technique that is being proposed makes use of a high-fidelity digital twin to track the accumulation of damage in the aircraft's structure and to model how the aircraft will react to various flight situations. This makes it possible to anticipate the aircraft's structural life with more accuracy and dependability. The difficulties in putting a digital twin for aircraft structural life prediction into practice are also covered by the writers. Creating novel algorithms to simulate the aircraft's reaction to flying circumstances and monitor the buildup of damage in the aircraft's structure are two of these issues, along with the requirement for high-fidelity simulations of the aircraft's structure. The suggested novel method for estimating aircraft structural life prediction, despite its difficulties, has the potential to greatly increase aircraft safety and dependability, according to the authors.

#### IV. CONCLUSION

This paper explores the transformative benefits of computerized twins in the vehicle industry. It highlights the improvement of product development through virtual replicas of physical vehicles, allowing manufacturers to identify and correct potential issues early in the production stage, reducing time to market and overall improvement costs. The ability to optimize plans in a virtual environment contributes to more secure, productive, and innovatively advanced vehicles.

Advanced twins also play a crucial role in predictive support, extending the quality and life span of vehicles. Real-time monitoring of vehicle components and systems allows for proactive problem-solving, minimizing downtime for customers and improving street security. Advanced twins also impact driving experiences, optimizing manufacturing forms, reducing resource wastage, and contributing to the reduction of carbon emissions. However, challenges such as information security, standardization, and the need for skilled experts in managing computerized twin systems must be addressed to fully realize the potential benefits.

## V. FUTURE SCOPE

Computerized twins in the car industry can revolutionize predictive analytics, autonomous vehicle development, cybersecurity, and information privacy. By combining machine learning and artificial intelligence, researchers can gain insights into vehicle behaviour, enabling more accurate maintenance needs and optimization. As the industry moves towards autonomous vehicles, the integration of computerized twins can accelerate their development. Cybersecurity and information privacy concerns are becoming more critical, and future research should focus on developing robust strategies for securing advanced twin environments, protecting vehicle information, and preventing cyber threats. Additionally, understanding human machine interaction in advanced twin situations is crucial for ensuring consistent integration into daily life for drivers and travellers.

## REFERENCES

- [1] Singh, M., Fuenmayor, E., Hinchy, E. P., Qiao, Y., Murray, N., & Devine, D. (2021). Digital twin: Origin to future. *Applied System Innovation*, 4(2), 36.
- [2] Fuller, A., Fan, Z., Day, C., & Barlow, C. (2020). Digital twin: Enabling technologies, challenges and open research. *IEEE access*, 8, 108952-108971.
- [3] Barricelli, B. R., Casiraghi, E., & Fogli, D. (2019). A survey on digital twin: Definitions, characteristics, applications, and design implications. *IEEE access*, 7, 167653-167671.
- [4] Botín-Sanabria, D. M., Mihaita, A. S., Peimbert-García, R. E., Ramírez-Moreno, M. A., Ramírez-Mendoza, R. A., & Lozoya-Santos, J. D. J. (2022). Digital twin technology challenges and applications: A comprehensive review. *Remote Sensing*, 14(6), 1335.
- [5] Cai, Y., Starly, B., Cohen, P., & Lee, Y. S. (2017). Sensor data and information fusion to construct digital-twins virtual machine tools for cyber-physical manufacturing. *Procedia manufacturing*, 10, 1031-1042.
- [6] [https://en.wikipedia.org/wiki/Digital\\_twin](https://en.wikipedia.org/wiki/Digital_twin)
- [7] Attaran, M., & Celik, B. G. (2023). Digital Twin: Benefits, use cases, challenges, and opportunities. *Decision Analytics Journal*, 6, 100165.
- [8] Ahmadova, A. A. (2024). Applications of digital twins in medicine and the ontological model of medical digital twins. *Problems of Information Society*, 98-105.
- [9] Wang, W., Zaheer, Q., Qiu, S., Wang, W., Ai, C., Wang, J., ... & Hu, W. (2023). Digital Twin in TIM. In *Digital Twin Technologies in Transportation Infrastructure Management* (pp. 111-145). Singapore: Springer Nature Singapore.
- [10] Yaqoob, I., Salah, K., Uddin, M., Jayaraman, R., Omar, M., & Imran, M. (2020). Blockchain for digital twins: Recent advances and future research challenges. *Ieee Network*, 34(5), 290-298.
- [11] Stjepandić, J., Lützenberger, J., & Kremer, P. (2024). Introduction to the Digital Twin of a Process Plant. In *Generation and Update of a Digital Twin in a Process Plant* (pp. 1-13). Cham: Springer International Publishing.
- [12] Talukder, A. K., Sarbadhikari, S. N., Selg, E., & Haas, R. E. (2024). Digital Twins, Digital Triplets, and eXplainable AI, in *Precision Health. In Roles and Challenges of Semantic Intelligence in Healthcare Cognitive Computing* (pp. 1-30). IOS Press.
- [13] Thaduri, A. (2023, June). Digital Twin: Definitions, Classification, and Maturity. In *International Congress and Workshop on Industrial AI* (pp. 585-599). Cham: Springer Nature Switzerland.
- [14] Pysin, M., & Lobanov, A. (2023). Digital Twin is a complex of microservices. In *E3S Web of Conferences* (Vol. 458, p. 09012). EDP Sciences.
- [15] Eriksson, K., & Markussen, C. (2023, June). Quality Assurance of Digital Twins. In *International Conference on Offshore Mechanics and Arctic Engineering* (Vol. 86830, p. V001T01A020). American Society of Mechanical Engineers.

- [16] Duran, K., Özdem, M., Hoang, T., Duong, T. Q., & Canberk, B. (2023). Age of Twin (AoT): A New Digital Twin Qualifier for 6G Ecosystem. *IEEE Internet of Things Magazine*, 6(4), 138-143.
- [17] Ninidakis, S., Grammatikakis, M. D., & Kornaros, G. (2023, September). Digital Twins for Remote ECG Monitoring. In *International Conference on Applications in Electronics Pervading Industry, Environment and Society* (pp. 264-270). Cham: Springer Nature Switzerland.
- [18] Schroeder, G. N., Steinmetz, C., Pereira, C. E., & Espindola, D. B. (2016). Digital twin data modelling with automationml and a communication methodology for data exchange. *IFAC-PapersOnLine*, 49(30), 12-17.
- [19] Kritzinger, W., Karner, M., Traar, G., Henjes, J., & Sihn, W. (2018). Digital Twin in manufacturing: A categorical literature review and classification. *Ifac-PapersOnline*, 51(11), 1016-1022.
- [20] Tao, F., & Zhang, M. (2017). Digital twin shop-floor: a new shop-floor paradigm towards smart manufacturing. *IEEE access*, 5, 20418-20427.
- [21] Macchi, M., Roda, I., Negri, E., & Fumagalli, L. (2018). Exploring the role of digital twin for asset lifecycle management. *IFAC-PapersOnLine*, 51(11), 790-795.
- [22] Tuegel, E. J., Ingraffea, A. R., Eason, T. G., & Spottswood, S. M. (2011). Reengineering aircraft structural life prediction using a digital twin. *International Journal of Aerospace Engineering*, 2011.
- [23] Uhlemann, T. H. J., Schock, C., Lehmann, C., Freiburger, S., & Steinhilper, R. (2017). The digital twin: demonstrating the potential of real time data acquisition in production systems. *Procedia Manufacturing*, 9, 113-120.
- [24] Gelernter, David. *Mirror Worlds*. Oxford UP, 1993, [books.google.ie/books?id=jh2U379fq18C&printsec=frontcover&dq=Mirror+Worlds&hl=&cd=1&source=gb\\_api](https://books.google.ie/books?id=jh2U379fq18C&printsec=frontcover&dq=Mirror+Worlds&hl=&cd=1&source=gb_api).

